

	COMMON TRADE	ASTM	DIN	OTHER
AUSTENITIC STAINLESS	AISI 304 AISI 304L AISI 316 AISI 316L AISI 347 AISI 317 AISI 310 AISI 316 Cb/Nb NITRONIC 50 NITRONIC 60	CF8 CF3 CF8M CF3M CF8C CG8M CK20 316 Cb/Nb ASTM A479 S21800	1.4301 / 1.4308 1.4306 1.4401 / 1.4408 / 1.4436 1.4404 / 1.4435 1.4552 / 1.4550 1.4448/1.4449 1.4841 1.4580/1.4581 1.3964	F304 F304L F316 F316L ASTM A182 F347 ASTM A182 F317 ASTM A182 F310 ASTM A182 F316Cb
SUPER AUSTENITE STAINLESS	CN3MN 254 SMO ALLOY 20Cb3 AISI 904L SANICRO 28	N08367 / CN3MN S31254 / CK3MCuN N08020 / CN7M ASTM B673 N08904 ASTM B668 N08028	AL 6XN 1.4547/254 SMO 2.4660 (CARPENTER 20 Cb3) 1.4539 1.4563	ASTM B182 F58 ASTM A182 F44 (S31254) ASTM B462 N08020 ASTM A182 F904L UNS N08025
MARTENSITE STAINLESS	ASTM A743 Gr.CA6NM ASTM A217 Gr.CA15 ASTM A747 CB7CU-1 (17-4PH) AISI 420	ASTMA479 S41500 ASTM A479 TYPE 410 UNS S17400	1.4313/1.4317 1.4006/1.4008 1.4542/1.4548/1.4549 1.4027	ASTM A182 F6NM (S41500) ASTM A182 F6a
DUPLEX AND SUPERDUPLEX STAINLESS	ASTM A995 Gr.4A (CD3MN) (J92205) ASTM A995 Gr.5A (CE3MN) ASTM A995 Gr.6A (CD3MWCuN) CD4MCuN	ASTM A479 S31803 ASTM A479 S32750 ASTM A479 S32760 ASTM A890 Gr 1B (CD4MCuN)	1.4462 1.4410 1.4501	ASTM A182 F51 (S31803) ASTM A182 F53 (S32750) ASTM A182 F55 (S32760)
NICKEL BASE ALLOY	ASTM B637 N17718 (INCONEL 718) ASTM A494 CW-6MC (INCONEL 625) ASTM A494 CY-40 (INCONEL 600) ASTM A494 CU5MCuC (INCOLOY 825) ASTM A494 M-35-1 (MONEL 400) ASTM A494 N-12MV (HASTELLOY B) ASTM494 CW-2M (HASTELLOY C4) ASTM A494 CX2MW (HASTELLOY C22) ASTM A494 CW-12MW (HASTELLOY C276) ASTM A494 CZ-100	ASTM B637 N07718 (INCONEL 718) ASTM B446 N06625 (INCONEL 625) ASTM B425 N08825 (INCOLOY 825) ASTM B574 N10276 (HASTELLOY C276)	2.4856 2.4816 2.4858 2.4365 2.4610 2.4602 2.4886 2.4066	ASTM B564 N06625 (INCONEL 625) ASTM B564 N08825 (INCONEL 825) ASTM B462 N10276 (HATELLOY C276)
CARBON STEEL LOW ALLOY	ASTM A216 Gr.WCB ASTM A352 Gr.LCB	ASTM A105 ASTM A350 Gr.LF2 cl.1		ASTM A350 Gr.LF2cl.1